



stowaway shelving

customise your storage space

the complete storage solution



isd setting the standard in storage solutions

The challenge with any chilled storage facility, or warehouse, is that you often need to be able to stack boxes when you want to maximise space utilisation, for example for palletised goods, but also have shelving available to store smaller cartons.

To have both, usually means a compromise, sacrificing space efficiency for flexibility.

With Stowaway Shelving from ISD, you have a highly flexible shelving solution that can be folded up or down in seconds to customise your own perfect storage space.

flexible storage - loaded with features

- / high quality materials
- / strong – 125kg per shelf (500kg total per bay)
- / tried and tested (over 13,000 bays across over 800 stores) with 0% failure rate
- / hygienic dishwasher-safe shelf inserts
- / height adjustable (2500mm to 3000mm)
- / in-built safety catches
- / quick and easy to install (15 minutes per bay)
- / flexible – infinite layouts achievable
- / acts to protect the wall or panels when in an upright position

simple installation

ISD Stowaway shelving is simple to install, with a wide range of predrilled fixings meaning that virtually any space can be utilised.


Each shelving unit is totally pre-assembled at the ISD manufacturing facility, and are so light they can be individually carried by one person.

Each individual bay is fitted to the coldroom (or warehouse) wall, with the adjustable top head bracket ideally fixed to the underside of the ceiling. The top head bracket has been designed specifically to allow for cornice angle and two part cove, typically used in cold store construction. Consecutive frames can be placed next to the first unit to create a complete shelving wall.

The bays can be fixed to other surfaces (such as breeze block) to create highly flexible storage in many other types of applications.



- Built in safety catches
- Strong locking shelf supports
- Adjustable headbracket allows for cornice angle





- Dishwasher-proof removable shelf inserts



simple operation

Each shelf may be independently set in a raised or lowered position. When the shelf is in the Stowaway upright position there is a steel safety clip to retain the shelf.

The shelf is pulled down and the supporting arms locked out to produce a shelf that supports 125kg, meaning that each bay with all the shelves in use is capable of supporting 500kg.



...the complete storage solution

quality materials

ISD Stowaway shelving is manufactured in the UK to the highest standards in Grade 304DPI Stainless Steel. This includes the wall mounted uprights, shelving arms, shelving frames and bump rail.

The shelf inserts are light blue polypropylene and are removable for cleaning. Each of the four shelves can be left down or folded up for the ultimate in flexibility.

dimensions

Each Stowaway shelving bay is 1.070m wide with a flexible height capability ranging from 2.5m to 3.0m.

Each bay has 4 tiers of shelves, 400mm deep. The approximate heights to the underside of the shelves are as follows:-

- \ Underside of (bottom) 1st shelf – 395mm
- \ Underside of 2nd shelf up – 915mm.
- \ Underside of 3rd shelf up – 1445mm.
- \ Underside of 4th shelf up – 1955mm

quality british manufacture

Proudly manufactured by ISD Solutions in our UK factory to our specification and design.

